

## G+K HVZ 80/S hydraulic double column press PR2497, used



**manufacturer :** G+K

**Product number:**  
PR2497

### Description

#### Hydraulic double columnPress

Manufacturer	G+K
Type	HVZ 80/S
Design	Hydraulic
Year of manufacture	2023

#### Technical data

Compressive force	max. 800 kN
Ram stroke	max. 800 mm
Installation height	900 mm
Table surface (width x depth)	1000 x 1000 mm
Plunger surface (width x depth)	1000 x 1000 mm
Plunger bore diameter ( H7 )	50 mm
T-slots H 12 DIN 650	18 mm
Table height above floor	900 mm

Technical data

Front upright clearance	1050 mm
Column passage sideways	by arrangement
Rapid traverse speed	infinitely variable up to 300 mm/sec. or 300 mm/sec
Working speed	infinitely variable up to max. 36 mm/sec. at half the nominal load up to max. 18 mm/sec. at full nominal load
Colour	light grey RAL 7035
Special paint finish	at an extra charge
Operating and control voltage	400/230 V, 50 Hz

Nominal force finely adjustable from 160 to 800 kN Cutting impact damping at the bottom, up to 15 mm before bottom dead centre. Adjustable between 100mm and 300mm of the ram above the table top Eccentric load only in conjunction with hydraulic parallel compensation

Delivery time	immediately
Price	on request



