Hauptstraße 8 73650 WINTERBACH GERMANY Phone +49 (0)7181 60696-0 Amtsgericht Stuttgart HRA

Fax: +49 (0)7181 60696-00 730953

E-Mail info@fissmachines. com USt-ID-No.:DE27 5268 755

Reißaus & Baumberg KCBS 200 automatic core shooter KS2615,





manufacturer: Reißaus & Baumberg

Product number:

KS2615

Description

Core shooter machine				
Туре	KCBS 200			
Year of manufacture	2018			
Hydraulic				
Comments				

- continuous mixer with a mixing capacity of 10t/h core shooting machine with 200 I shooting volume
- 16 PCS. HYDRAULIC LOCKING CYLINDERS FOR VERTICAL DIVIDING HALVES
- 2x STOCK TRACK GUIDED TRANSFER CAR FOR TRANSPORTING THE CORE BOX IN AND OUT OF THE CORE SHOOTER
- 2x PIECES OF DRIVEN DISC ROLLER CONVEYORS FOR TRANSPORT INTO AND OUT OF THE CORE SHIFTER
- SAFETY DEVICE WITH PROTECTION CORE REMOVAL LIGHT CURTAIN

Technical Details



Hauptstraße 8 73650 WINTERBACH GERMANY Phone +49 (0)7181 60696-0 Amtsgericht Stuttgart HRA Fax: +49 (0)7181 60696-00 730953

E-Mail info@fissmachines. com USt-ID-No.:DE27 5268 755

tr. connection lelstuna KSA 16- bity tent machine le shot 25 biting volume max. with one sand shot 2 diple shot with different pressures 180 bitsvtinder	000 X 4000 X 4000 mm 6-18000 kW 6 min dm'/kg
tr. connection lelstuna KSA 16- bity tent machine le shot 25 biting volume max. with one sand shot 2 diple shot with different pressures 180 bitsvtinder	5-18000 kW 5 min
otty tent machine le shot 25 oting volume max. with one sand shot 2 d ciple shot with different pressures 180 otsvtinder	i min
oting volume max. with one sand shot 2 d ciple shot with different pressures 180 otsytinder la	
ciple shot with different pressures 180 otsvtinder la	dm'/kg
otsvtinder la	
	307
oting hinder closure She	
othing billiaer closure	neet metal
xing coaf 2 x	x sand slide DN 290
otingialte oes	eschraubt
oting head /expendable area depth x width hvo	draullsch clamped
king height from the top of the floor 260	600 X 300 mm
. <u>clamping force</u>	
nping stroke le Saannstation 800	00.000 mm
s. scanning force 150	50 N
tent of sand hopper 160	50.000 am
ime of air reservoir Pne	neumatlsch / electric
npressed air connection 2 X	X 500 Zoll
raull system 2x	
al piston cumce 250	: 1.s-
etrain 45	c 1.s- 60 am/min
s pressure 20	· - · ·

Dimensioning

Capacity of 3 core boxes/h

Curing tent of the molding material 30 min.



Hauptstraße 8 73650 WINTERBACH GERMANY Phone +49 (0)7181 60696-0 Amtsgericht Stuttgart HRA

Fax: +49 (0)7181 60696-00 730953

E-Mail info@fissmachines. com USt-ID-No.:DE27 5268 755

Core weight according to cutout Großkem - spectrum 525 kg- 1160kg

With 3-4 molds per hour and 100% mixing tent, a capacity of about 3500kg is needed.

This means that a mixer with a mixing capacity of 10 - 15 1/h is sufficient.

During sand shooting, the sand hopper of the core shooter is gelOUL in parallel Max. 225kg

at a Mlscherlelstung of 10 OOkg/h = 167kg/mln 4 225kg : 167kg/mln = 1,4mln mixing tent IOr a molding material weight In the sand bunker of 225kg 1160kg core weight: 167kg/min = 7 min pure mixing tent

For a core weight of max. $1160 \text{kg} = 6 \text{ mixes x } 1,4 \text{min} = 8,4 \text{ min pure shooting time Without the handling tent of the core box and the required machine movements, the pure tent for full shooting of the current max. core box is around <math>10 \text{mln}$ further 10 min are available for core box handling and mechanical travel times of the core shooter.

Delivery time		immediately	
Price		on request	